## **EAST Search History**

## **EAST Search History (Prior Art)**

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9	(record\$1 near3 fus \$3) with (database\$1 or data\$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:22
<b>S</b> 2	9	(record\$1 near3 (merg3 or fus\$3)) with (database\$1 or data\$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:23
SS	3475	(record\$1 near3 match\$3) with (database\$1 or data \$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:36
S4	2278	•	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:37
<b>S</b> 5	4	(record\$1 near3 match\$3 near3 (database\$1 or data \$1set\$1)) and (record \$1 near3 compar\$4 near3 (database\$1 or data\$1set\$1) near3 criteria)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:38
<b>S</b> 6	1	(record\$1 near3 match\$3 near3 (database\$1 or data \$1set\$1)) and (record \$1 near3 compar\$4 near3 (database\$1 or data\$1set\$1) near3 criteria) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:41

S7	19	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data \$1sets)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 08:50
S8	1	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data \$1sets) with rank\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 08:51
S9	7	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data \$1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 08:51
S10	81	((hierarch\$4 or tree) with variable\$1) and (compar\$4 with (data \$1bases or tables or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:05
S11	0	((hierarch\$4 or tree) with variable\$1) with (compar\$4 near3 (data\$1bases or tables or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:34
S12	19	((hierarch\$4 or tree) with variable\$1) and (compar\$4 near3 (data\$1bases or tables or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:34
S13	49	(variable\$1 with (compar\$4 near3 (data\$1bases or tables or data \$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:38
S14	6	(variable\$1 near3 (compar\$4 near3 (data\$1bases or data \$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:51

S15	13	((attribute\$1 or parameter\$1) near3 (compar\$4 near3 (data\$1bases or data \$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:54
S16	2	((attribute\$1 or parameter\$1) near3 (co\$1relation\$4 near3 (data\$1bases or data \$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 10:16
S17	3	"20030182296" or "20020013735" or "6556987".pn.	US-PGPUB; USPAT	OR	OFF	2009/01/28 10:20
S18	4	"20030182296" or "20020013735" or "6556987".pn. or "6370547".pn.	US-PGPUB; USPAT	OR	OFF	2009/01/28 11:12
S19	3027	707/6.ccls.	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:51
S20	3909	707/200.ccls.	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:52
S21	7	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data \$1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 20:52
S22	0	S19 and S21	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:52
S23	0	S20 and S21	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:52
S24	0	S20 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 20:53
S25	0	S19 and S21	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:53
S26	207	(kuen.xp. or kuen. xa.) and (lu.xp. or lu. xa.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 22:36

S27	2	"7028052".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 22:39
S28	124	on\$1line with yellow with page\$1 and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:20
S29	119	on\$1line with yellow with pages and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:20
S30	79	online with yellow with pages and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:20
S31	34	online with yellow with pages and (@pd < "20040324") and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:21
S32	124	on\$1line with (yellow adj page\$1) and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:21
S33	8	online with yellow with pages and (@pd < "20040324") and "707"/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:28
S34	2	"6643640".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:48

S35	8	online with yellow with pages and (@pd < "20040324") and "707"/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:09
S36	3	((merg\$3 or fusion \$3) with criteria with (data\$1bases or data \$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:27
S37	1934	(merg\$3 with criteria with data\$1bases or data\$1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:29
S38	3	(merg\$3 with criteria with (data\$1bases or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:30
S39	366	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:31
S40	31	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and (merg\$3 with criteria)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:32
S41	1	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and (merg\$3 with criteria with (parameters or variables))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:32

S42	10	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and (merg\$3 with criteria) and (merg\$3 with (parameters or variables))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:37
543	0	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and (merg\$3 with criteria) and ((rank\$3 or importance) with (variables or parameters))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:42
S44	4	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and (merg\$3 with parameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:09
S45	0	amsburry.xa. and wayne.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:14
S46	117	amsbury.xa. and wayne.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:14
S47	1093	amsbury.xp. and wayne.xp.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:19
S48	129	sana.xp. and al- hashemi.xp.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:27

S49	114	sana.xa. and al- hashemi.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:28
S50	1	(rank\$3 near3 (parameters or variables))with merg \$3 with database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:29
S51	68	(rank\$3 near3 (parameters or variables))with database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:30
S52	0	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and ((rank\$3 near3 (parameters or variables))with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:31
S53	0	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and ((rank\$3 near3 (parameters or variables)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:31
S54	9	((rank\$3 near3 (parameters or variables))with database) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:32
S55	26	((rank\$3 with (parameters or variables))with database) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 15:27

S56	4	((rank\$3 with (parameters or variables))with database) and @pd < "20031021" and merg \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 15:27
S57	3	((rank\$3 with (parameters or variables))with importance) and @pd < "20031021" and merg\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 15:33
S58	28	((rank\$3 near3 (parameters or variables))near3 importance) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 15:39
S59	10	((rank\$3 near3 (parameters or variables))near3 importance) and @pd < "20031021" and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 15:39
S60	1	((rank\$3 near3 (parameters or variables))near3 importance) and @pd < "20031021" and database and merg\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 15:39

## **EAST Search History (Interference)**

< This search history is empty>

8/9/2009 8:32:11 PM

C:\ Documents and Settings\ klu\ My Documents\ EAST\ Workspaces\ 10576800.wsp